



Xp³D-MR

Fuel Enhancer for Marine Fuels

Xp³D-MR, besides containing all the qualities and characteristics of **Xp³D**, it reduces the negative effects that the ocean may have on marine engines and injections systems. It does not contain any aromatics or naphtha. **Xp³D-MR** is 100% biodegradable and does not contain alcohol.

CHARACTERISTICS AND BENEFITS

- Prevents corrosion and damages to the injection system
- Cleans and maintains clean the fuel injectors
- Disperses the existing water in the fuel
- Reduces the corrosion problems generated during and after combustion
- Reduces fuel consumption
- Is an effective biocide
- Has a detergent and antioxidant effect
- Reduces the maintenance costs prolongs the lifetime of the equipment
- Increases the fuel's lubricity for fuels low (LSD) and ultra-low (ULSD) in sulfur
- Stabilizes light and heavy oils
- Greatly reduces fumes and emissions

RECOMMENDED USES

Ships and Boats
Fishing areas
Equipment located near the ocean
Auto transport
Power plants

TREATMENT RATIO

Add 1 (one) part of **Xp³D-MR** for each 4,000 parts of fuel

PHYSICAL PROPERTIES

Flash Point:	65.5° C / 150° F
Boiling Point:	171° C / 340° F
Freezing Point:	- 84° C / - 120° F
Specific Gravity:	0.897 @ 25/25° C
Solubility in Water:	Infinitely @ 25° C
Vapor Density (air =1)	4.10
Viscosity at 20° C (68° F)	6.4 mPa.s or cP

Xp Lab, Inc.

12527 Kirkham Ct. Poway, CA 92064
Tel. (619) 233-3111 Fax: (619)233-3112
Xp3@xplab.com <http://www.xp3.com>