



# Safety Data Sheet

---

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

---

**Product name:**

Xp3G – Fuel Additive

**Recommended use:**

Gasoline Fuel Enhancer Additive

**Manufacturer or supplier's details Company:**

Xp Lab, Inc.

12527 Kirkham Ct.

Poway, CA 92064, United States of America

Website: [www.xplab.com](http://www.xplab.com)

**Emergency telephone number:**

CHEMTREC CCN711266

US (800) 424-9300

International (703) 527-3887

**Additional Information:**

SDS Requests to:

Email: [techsupport@xplab.com](mailto:techsupport@xplab.com)

Phone 1(619) 233-3111, Fax 1(619) 233-3112

---

## SECTION 2. HAZARDS IDENTIFICATION

---

**GHS Classification**

Flammable liquids : Category 4  
Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 4  
Acute toxicity (Dermal) : Category 4  
Skin irritation : Category 2  
Eye irritation : Category 2A

**GHS Label Element**

Hazard pictograms



**Hazard Statements**

H227 Combustible liquid.

H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled

H315 Causes skin irritation.

H319 Causes serious eye irritation.



## Precautionary Statements

### Prevention:

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
- P264 Wash skin thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/ eye protection/ face protection.

### Response:

- P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
  - P302 + P352 + P312 IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/ physician if you feel unwell.
  - P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
  - P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  - P332 + P313 If skin irritation occurs: Get medical advice/ attention.
  - P337 + P313 If eye irritation persists: Get medical advice/ attention.
  - P362 Take off contaminated clothing and wash before reuse.
  - P370 + P378 in case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
- Storage: P403 + P235 Store in a well-ventilated place. Keep cool. Disposal:  
P501 Dispose of contents/ container to an approved waste disposal plant.

## Potential Health Effects

### Carcinogenicity:

**IARC** - No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**ACGIH** - No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**OSHA** - No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP** - No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Emergency Overview:

Appearance	Liquid
Color	Yellow
Odor	Mild, sweet
Hazard Summary	No Information Available



---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

<u>Ingredient Name</u>	<u>Concentration %(w/w)</u>	<u>CAS No.</u>
Non Aromatic Alkyne mixture	50.0 - 56.5	Proprietary – Trade Secret
Phenol, 2,6-di-tert-butyl	21.5 - 26.0	128-39-2
2 tert-butylphenol	2.9 - 7.9	88-18-6
Phenol, 2-4-di-ter-butyl	0.5 - 2.5	96-76-4
p-ter-butylphenol	0.05 – 0.5	98-54-4

---

### SECTION 4. FIRST AID MEASURES

---

General advice: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.

If inhaled: If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of skin contact: If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact: Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed: Clean mouth with water and drink plenty of water afterwards. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

---

### SECTION 5. FIREFIGHTING MEASURES

---

Suitable extinguishing media: Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media: High volume water jet

Hazardous combustion products: No hazardous combustion products are known

Specific extinguishing methods: Use a water spray to cool fully closed containers.

Further information: For safety reasons in case of fire, cans should be stored separately in closed containments.

Special protective equipment for firefighters: Wear self-contained breathing apparatus for firefighting if necessary.

**NFPA Flammable and Combustible Liquids Classification:** Combustible Liquid Class IIIA



---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

---

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment.

Environmental precautions: Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up: Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

---

## SECTION 7. HANDLING AND STORAGE

---

Advice on safe handling: Avoid formation of aerosol. Do not breathe vapors/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage: No smoking. Keep in a well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

Components with workplace control parameters: N/A

Biological occupational exposure limits: N/A

### **Personal Protective Equipment**

Respiratory protection: In the case of vapor formation use a respirator with an approved filter.

Hand protection Remarks: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection: impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

---



Appearance:	liquid
Color:	yellow
Odor:	mild, sweet
Odor Threshold:	0.48 ppm
pH:	No data available
Freezing Point:	-75 - -74.8 °C (-103 - -102.6 °F)
Boiling Point:	166 - 173.5 °C (331 - 344.3 °F)
Flash point:	65 - 70 °C (150 - 158 °F) (1,013 hPa)
Evaporation rate:	0.153 (Butyl Acetate = 1)
Flammability (solid, gas):	No data available
Burning rate:	No data available
Upper explosion limit:	10.6 %(V)
Lower explosion limit:	1.1 - 1.3 %(V)
Vapor pressure:	0.599 mmHg @ 20 °C (68 °F)
Relative vapor density:	4(Air = 1.0)
Relative density:	0.9005 - 0.904 @ 20 °C (68 °F) Reference substance: (water = 1)
Density:	0.9008 g/cm <sup>3</sup> @ 20 °C (68 °F)
Bulk density:	No data available
Solubility - Water solubility:	completely soluble @ 25 °C (77 °F)
Auto-ignition temperature:	230 - 245 °C 1,013 hPa
Thermal decomposition:	124.7 °C
Viscosity	
Viscosity, dynamic:	3.3 - 6.4 mPa.s @ 20 °C (68 °F)
Viscosity, kinematic:	2.3 - 3.7 mm <sup>2</sup> /s @ 20 - 40 °C (68 - 104 °F)
Surface tension:	65 mN/m

---

## SECTION 10. STABILITY AND REACTIVITY

---

Reactivity:	No dangerous reaction known under conditions of normal use.
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	No hazards to be specially mentioned.
Conditions to avoid:	Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials:	Strong oxidizing agents
Hazardous decomposition products:	Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Aldehydes Ketones Organic acids



---

## SECTION 11. TOXICOLOGICAL INFORMATION

---

### Acute Toxicity

Acute oral toxicity:	LD50 (Rat): 745 mg/kg Assessment: The component/mixture is moderately toxic after single ingestion.
Acute inhalation toxicity:	LC50 (Rat): 550 ppm Exposure time: 4 h Assessment: The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity:	LD50 (Rat): 1,250 mg/kg Assessment: The component/mixture is moderately toxic after single contact with skin.

### Skin Corrosion/Irritation

Rabbit Result: Irritating to skin.

### Respiratory or Skin Sensitization

Test Type: Maximization test

Species: Guinea pig

Result: Did not cause sensitization on laboratory animals.

### Germ Cell Mutagenicity

Genotoxicity in vitro:

Test Type: Mammalian cell gene mutation assay

Test species: Chinese hamster ovary (CHO)

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo:

Test Type: In vivo micronucleus test

Test species: Mouse (male)

Application Route: Intraperitoneal

Result: negative

Germ cell mutagenicity- Assessment:

Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### Carcinogenicity

Species: Mouse Application

Route: Inhalation Exposure time: 2-year Activity duration: 6 h

Frequency of Treatment: 5 days/week NOAEL: 125 ppm

Result: Limited evidence of carcinogenic effects with no relevance to humans

Carcinogenicity - Assessment: Not classifiable as a human carcinogen.

### Reproductive Toxicity

---



Effects on fertility:

Test Type: Two-generation study  
Species: Mouse Application  
Route: oral Fertility: NOAEL: 720 mg/kg body weight  
Symptoms: Reduced fertility  
Result: Reduced fertility at maternally toxic doses

Effects on fetal development:

Test Type: Embryo-fetal development  
Species: Rat Application  
Route: Inhalation Duration of Single Treatment: 10 d  
Frequency of Treatment: 6 hr/day  
Developmental Toxicity: Lowest observed adverse effect level: 100 ppm  
Result: Developmental toxicity occurred at maternal toxicity dose levels  
Reproductive toxicity - Assessment: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.  
STOT - single exposure: No data available  
STOT - repeated exposure: No data available

Repeated Dose Toxicity

Species: Rat NOAEL: 30 Application Route: Inhalation Exposure time: 14 wk Number of exposures: 6 h/d, 5 d/wk

Aspiration toxicity

No aspiration toxicity classification  
Further information  
Product: Remarks: No data available

---

**SECTION 12. ECOLOGICAL INFORMATION**

---

**Ecotoxicity:**

Toxicity to fish:

LC50 (Oncorhynchus mykiss (rainbow trout)): 1,474 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD  
Test Guideline 203  
GLP: no

Toxicity to daphnia and other aquatic invertebrates:

EC50 (Daphnia magna (Water flea)): 1,800 mg/l Exposure time: 48 h  
Test Type: static test



Method: OECD  
Test Guideline 202  
GLP: no

Toxicity to algae:

EC50 (Pseudokirchneriella subcapitata (green algae)): 911 mg/l  
End point: Biomass  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: no

**Persistence and Degradability**

Biodegradability:

Aerobic  
Inoculum: Activated sludge, domestic, adaption not specified  
Result: Readily biodegradable  
Biodegradation: 90.4 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: no

Bio-accumulative potential

Mobility in soil: No data available  
Other adverse effects: No data available

**Product**

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602  
Class I Substances

Remarks

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information:

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

---

Disposal methods Waste from residues:





Dispose of in accordance with all applicable local, state and federal regulations. Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

---

## SECTION 14. TRANSPORT INFORMATION

---

IATA (International Air Transport Association): Not regulated as a dangerous good

IMDG-Code: Not regulated as a dangerous good

DOT (Department of Transportation): NA1993, Combustible liquid, n.o.s.,

Special Notes: The flash point for this material is 150 F (65.5° C). Therefore, in accordance with 49 CFR 173.150(f) non-bulk containers (<450L or <119-gallon capacity) of this material may be shipped as nonregulated when transported solely by land, as long as the material is not a hazardous waste, a marine pollutant, or specifically listed as a hazardous substance.

---

## SECTION 15. REGULATORY INFORMATION

---

OSHA Hazards: Combustible Liquid, Harmful by inhalation., Harmful by ingestion., Harmful by skin absorption, Moderate skin irritant, Moderate eye irritant

WHMIS Classification: B3: Combustible Liquid, D1A: Very Toxic Material Causing Immediate and Serious Toxic Effects, D2B: Toxic Material Causing Other Toxic Effects

### **EPCRA - Emergency Planning and Community Right-to-Know Act**

CERCLA Reportable Quantity: This material does not contain any components with a CERCLA RQ.

SARA 304: Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards: Fire Hazard Immediate (Acute) Health Hazard

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313: The components are subject to reporting levels established by SARA Title III, Section 313:

### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The product components are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489)

### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. Clean Water Act, Section 311, Table 116.4A. This product does not contain any Hazardous Chemicals listed under the U.S. Clean




Water Act, Section 311, Table 117.3. This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

The components of this product are reported in the United States TSCA Inventory

---

**SECTION 16. OTHER INFORMATION**

---

**NFPA:****HMIS III:**

<b>HEALTH</b>	<b>2</b>
<b>FLAMMABILITY</b>	<b>2</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

*Notice: This information is presented in good faith and believed to be accurate as of the effective date below. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for personal injury or property damage to vendees, users or third parties caused by the material, such vendees or users assume all risks associated with the use of the material. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state and local laws.*